# Patient Information Sheet – 44B Ankle Fracture What do I need to know?



## What is my diagnosis?

You have fractured (broken) the bone on the outside of your ankle. The bone is called the **fibula.** 

These injuries almost always heal without the need for any intervention or surgery.

You may have been given a supportive Velcro boot, often called a "moon boot". You are allowed to put your weight through the ankle as long as you are wearing the moon boot.



## What happens next?

- Your X-rays and notes will be checked by a Consultant Orthopaedic Surgeon
- You will be offered a fracture clinic in 2 weeks to have another X-ray to make sure the bones are lined up
- Most patients only need to com back to clinic one or two times
- Please ensure the Emergency Department/Minor Injury Unit reception staff have your mobile and phone home numbers.

# What can I expect during my recovery?

- The pain begins to settle after a few weeks
- The injury will heal over the course of **6 weeks** but you may have some occasional aching for up to 6 months.
- You do not have to wear the moon boot when seated or when in bed
- The boot must be worn when standing or walking for 6 weeks
- Remove the boot eery day to move your ankle and foot (see the exercises overleaf)
- Regaining a full range of movement as soon as possible will speed up your recovery
- Most people return to desk work by 1 to 2 weeks, but manual work may not be possible for 4 to 6
  weeks depending on your symptoms
- There is **no specific time you can drive again**. It is **illegal** to drive when wearing a sling, splint, cast or moonboot. As you recover, it is your legal responsibility to be certain before you return to driving that you are able to control your vehicle normally and safely.



## Key exercises (three times a day)

#### Ankle bending and straightening

- As soon as you can, remove the boot and begin to move your ankle up and down
- When the pain begins to settle, use a towel around your foot to pull up and stretch your calf



#### Ankle in and ankle out

- While seated lift your foot
- Move the ankle in the way then out the way





## What if I have a problem?

Very occasionally some patients have difficulties with ongoing pain or stiffness. If you have any issues beyond **three months** after injury please contact us on the details below.

#### Get in touch

Please get in touch via our trauma email if you have any queries about your injury: traumaenquiriesRIE@nhslothian.scot.nhs.uk

Helpline Monday-Friday (8am - 4pm): 0131 242 3410

# **Urgent issues**

Please call the department where you were initially seen about your injury:

- **RIE Minor Injuries Unit**: 0131 242 3942 (8am midnight, if after midnight contact RIE Emergency Department 0131 242 1300)
- WGH Minor Injuries Clinic: 0131 536 3468 (9am 8.30pm)
- SJH Emergency Department: 01506 523 011 (24 hours)

